

Generator * Stor scene

systemet består af 2 DMX universer.

Fixture hænger på 3 truss.

Front truss hænger over publikum ca. 5 meter fra scenen

Midter truss sidder over scene og kan flyttes mellem scenekant og bagerste truss.

Bagerste truss (bagtæppet) kan flyttes mellem midter truss og bagvæggen.

DMX univers 1 er alt over scenen fordelt på 2 truss

Midt truss er placeret midt over scenen og indeholder 6 stk. Mover "Varytec Hero Spot 230" samt 2 stk. "Eurolite Audience blinder"

Bag truss er placeret ved bagtæppet og indeholder 6 stk. "Varytec Hero Wash 300 FC", samt 2 stk. "Varytec Hero Spot 230", én yderst i hver side

De 6 sidelamper er hvide LED fixture placeret i hver siden af scenen forrest ved scenekanten i ca. 2.5 m højde over scenen.

DMX univers 2 er front fixturer (1-8) placeret på front truss over publikum, bestående af 8 stk. FOS IQ 28x12

Alle stik er 3 pol XLR.

Gæste tekniker sørger selv for evt. converter til medbragt udstyr.

***Alt efterlades som det er modtaget.**

Afviklende lystekniker har det fulde ansvar for anlægget indtil det er afleveret til huset tekniker

Der må på ingen måde ændres eller flyttes på udstyret, heller ikke selv om det flyttes tilbage igen!!!

Overtrædelser af venue regler, eller misvedligehold vil medføre erstatnings ansvar!

Der er mulighed for at udvide universerne med f.eks. Medbragte gulvlamper fra udtag i dameside.
Der er desuden et ubenyttet ekstra univers fra FOH til scenens kongeside (5 pol XLR)

Revideret d. 05-09-25

Revisions nr.: 4.0

DMX univers 1

Kanal	Enhed	Formål	Model	Note
1	Moving head 1	Pan	Varytec, Hero Spot 230	<u>18 kanaler</u>
2		Pan-fine		
3		Tilt		
4		Tilt-fine		
5		Speed rotate		max - min
6		Dimmer		
7		Stroboscope		
8		Colour wheel		0-4:Open*14-22:Red*32-40:3000K*50-58:Green*68-76:Blue*86-94:Yellow:104-112:Turkish*122-130:Magenta*
9		Static gobo		
10		Rotatable gobo		
11		Rotate gobo		
12		Focus		
13		Zoom		
14		Prism		
15		Prism rotate		
16		Preprogramed shows		
17		Pan-tilt auto program		
18		Reset		
19	Moving head 2	Pan	Varytec, Hero Spot 230	<u>18 kanaler</u>
20		Pan-fine		
21		Tilt		
22		Tilt-fine		
23		Speed rotate		max - min
24		Dimmer		
25		Stroboscope		
26		Colour wheel		0-4:Open*14-22:Red*32-40:3000K*50-58:Green*68-76:Blue*86-94:Yellow:104-112:Turkish*122-130:Magenta*
27		Static gobo		
28		Rotatable gobo		
29		Rotate gobo		
30		Focus		
31		Zoom		
32		Prism		
33		Prism rotate		
34		Preprogramed shows		
35		Pan-tilt auto program		
36		Reset		
37	Moving head 3	Pan	Varytec, Hero Spot 230	<u>18 kanaler</u>
38		Pan-fine		
39		Tilt		
40		Tilt-fine		
41		Speed rotate		max - min
42		Dimmer		
43		Stroboscope		

44	Colour wheel		0-4:Open*14-22:Red*32-40:3000K*50-58:Green*68-76:Blue*86-94:Yellow:104-112:Turcish*122-130:Magenta*
45	Static gobo		
46	Rotatable gobo		
47	Rotate gobo		
48	Focus		
49	Zoom		
50	Prism		
51	Prism rotate		
52	Preprogramed shows		
53	Pan-tilt auto program		
54	Reset		
55	Moving head 4	Pan	Varytec, Hero Spot 230 <u>18 kanaler</u>
56		Pan-fine	
57		Tilt	
58		Tilt-fine	
59		Speed rotate	max - min
60		Dimmer	
61		Stroboscope	
62		Colour wheel	0-4:Open*14-22:Red*32-40:3000K*50-58:Green*68-76:Blue*86-94:Yellow:104-112:Turcish*122-130:Magenta*
63		Static gobo	
64		Rotatable gobo	
65		Rotate gobo	
66		Focus	
67		Zoom	
68		Prism	
69		Prism rotate	
70		Preprogramed shows	
71		Pan-tilt auto program	
72		Reset	
73	Moving head 5	Pan	Varytec, Hero Spot 230 <u>18 kanaler</u>
74		Pan-fine	
75		Tilt	
76		Tilt-fine	
77		Speed rotate	max - min
78		Dimmer	
79		Stroboscope	
80		Colour wheel	0-4:Open*14-22:Red*32-40:3000K*50-58:Green*68-76:Blue*86-94:Yellow:104-112:Turcish*122-130:Magenta*
81		Static gobo	
82		Rotatable gobo	
83		Rotate gobo	
84		Focus	
85		Zoom	
86		Prism	
87		Prism rotate	
88		Preprogramed shows	
89		Pan-tilt auto program	
90		Reset	

91	Moving head 6	Pan	Varytec, Hero Spot 230	<u>18 kanaler</u>
92		Pan-fine		
93		Tilt		
94		Tilt-fine		
95		Speed rotate		max - min
96		Dimmer		
97		Stroboscope		
98		Colour wheel		0-4:Open*14-22:Red*32-40:3000K*50-58:Green*68-76:Blue*86-94:Yellow:104-112:Turkish*122-130:Magenta*
99		Static gobo		
100		Rotatable gobo		
101		Rotate gobo		
102		Focus		
103		Zoom		
104		Prism		
105		Prism rotate		
106		Preprogramed shows		
107		Pan-tilt auto program		
108		Reset		
109	Blinder 1	Dimmer	Eurolite Audience Blinder 2x100W	<u>4 kanaler</u>
110		Strobe effekt		
111		COB 1		
112		COB 2		
113	Blinder 2	Dimmer	Eurolite Audience Blinder 2x100W	<u>4 kanaler</u>
114		Strobe effekt		
115		COB 1		
116		COB 2		
117				
118				
119				
120				
121				
122				
123				
124				
125	Hazer	Fan	Ukendt	<u>2 kanaler</u>
126		Smoke		Back-up, normalt ikke tilsluttet
127	CO2 hazer	Output Level	Antari CINEMA CH-1	<u>3 kanaler</u>
128		Fan level		Primær hazer
129		Heater		<u>0-127: off, 128-255 on</u>
130				
131				
132				
133				
134				
135				
136				
137				

138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154

155 Venstre side øverst	Color Marco	ADJ Flat par TW12	<u>2 kanaler</u>
156	Dimmer		
157 Højre side øverst	Color Marco	ADJ Flat par TW12	<u>2 kanaler</u>
158	Dimmer		
159 Venstre side midt	Cool white	ADJ CWWW 9	<u>5 kanaler</u>
160	Warm white		
161	Color tone		
162	Strobing		
163	dimmer		
164 Højre side midt	Cool white	ADJ CWWW 9	<u>5 kanaler</u>
165	Warm white		
166	Color tone		
167	Strobing		
168	dimmer		
169 Venstre side nederst	Cool white	ADJ CWWW 9	<u>5 kanaler</u>
170	Warm white		
171	Color tone		
172	Strobing		
173	dimmer		
174 Højre side nederst	Cool white	ADJ CWWW 9	<u>5 kanaler</u>
175	Warm white		
176	Color tone		
177	Strobing		
178	dimmer		
179			
180 Hero Wash 300 FC #1	Pan	Varytec, Hero Wash 300 FC	<u>26 kanaler</u>
181	Upan		
182	Tilt		
183	Utilt		
184	pan-tilt speed		

185	zoom		
186	Dimmer		
187	Shutter		
188	Red		
189	Green		
190	Blue		
191	White		
192	Red		
193	Green		
194	Blue		
195	White		
196	Red		
197	Green		
198	Blue		
199	White		
200	Linear CTO -color temp		
201	Color Marco		
202	Segment pattern 1 to 18		
203	Transition		
204	Zoom automatic programme with decreasing speed, 1 (fast)...8 (slow)		
205	pan_tilt_macro		
206	Hero Wash 300 FC #2	Pan	Varytec, Hero Wash 300 FC
207	Up an		<u>26 kanaler</u>
208	Tilt		
209	U tilt		
210	pan-tilt speed		
211	zoom		
212	Dimmer		
213	Shutter		
214	Red		
215	Green		
216	Blue		
217	White		
218	Red		
219	Green		
220	Blue		
221	White		
222	Red		
223	Green		
224	Blue		
225	White		
226	Linear CTO -color temp		
227	Color Marco		
228	Segment pattern 1 to 18		
229	Transition		
230	Zoom automatic programme with decreasing speed, 1 (fast)...8 (slow)		
231	pan_tilt_macro		

232	Hero Wash 300 FC #3	Pan	Varytec, Hero Wash 300 FC	<u>26 kanaler</u>
233		Upan		
234		Tilt		
235		Utilt		
236		pan-tilt speed		
237		zoom		
238		Dimmer		
239		Shutter		
240		Red		
241		Green		
242		Blue		
243		White		
244		Red		
245		Green		
246		Blue		
247		White		
248		Red		
249		Green		
250		Blue		
251		White		
252		Linear CTO -color temp		
253		Color Marco		
254		Segment pattern 1 to 18		
255		Transition		
256		Zoom automatic programme with decreasing speed, 1 (fast)...8 (slow)		
257		pan_tilt_macro		
258	Hero Wash 300 FC #4	Pan	Varytec, Hero Wash 300 FC	<u>26 kanaler</u>
259		Upan		
260		Tilt		
261		Utilt		
262		pan-tilt speed		
263		zoom		
264		Dimmer		
265		Shutter		
266		Red		
267		Green		
268		Blue		
269		White		
270		Red		
271		Green		
272		Blue		
273		White		
274		Red		
275		Green		
276		Blue		
277		White		
278		Linear CTO -color temp		

279	Color Marco		
280	Segment pattern 1 to 18		
281	Transition		
282	Zoom automatic programme with decreasing speed, 1 (fast)...8 (slow)		
283	pan_tilt_macro		
284	Hero Wash 300 FC #5	Pan	Varytec, Hero Wash 300 FC
285		Up	<u>26 kanaler</u>
286		Tilt	
287		Utilt	
288		pan-tilt speed	
289		zoom	
290		Dimmer	
291		Shutter	
292		Red	
293		Green	
294		Blue	
295		White	
296		Red	
297		Green	
298		Blue	
299		White	
300		Red	
301		Green	
302		Blue	
303		White	
304		Linear CTO -color temp	
305		Color Marco	
306		Segment pattern 1 to 18	
307		Transition	
308		Zoom automatic programme with decreasing speed, 1 (fast)...8 (slow)	
309		pan_tilt_macro	
310	Hero Wash 300 FC #6	Pan	Varytec, Hero Wash 300 FC
311		Up	<u>26 kanaler</u>
312		Tilt	
313		Utilt	
314		pan-tilt speed	
315		zoom	
316		Dimmer	
317		Shutter	
318		Red	
319		Green	
320		Blue	
321		White	
322		Red	
323		Green	
324		Blue	
325		White	

326	Red		
327	Green		
328	Blue		
329	White		
330	Linear CTO -color temp		
331	Color Marco		
332	Segment pattern 1 to 18		
333	Transition		
334	Zoom automatic programme with decreasing speed, 1 (fast)...8 (slow)		
335	pan_tilt_macro		
336	Moving head 7	Pan	Varytec, Hero Spot 230 <u>18 kanaler</u>
337		Pan-fine	
338		Tilt	
339		Tilt-fine	
340		Speed rotate	max - min
341		Dimmer	
342		Stroboscope	
343		Colour wheel	0-4:Open*14-22:Red*32-40:3000K*50-58:Green*68-76:Blue*86-94:Yellow:104-112:Turkish*122-130:Magenta*
344		Static gobo	
345		Rotatable gobo	
346		Rotate gobo	
347		Focus	
348		Zoom	
349		Prism	
350		Prism rotate	
351		Preprogramed shows	
352		Pan-tilt auto program	
353		Reset	
354	Moving head 8	Pan	Varytec, Hero Spot 230 <u>18 kanaler</u>
355		Pan-fine	
356		Tilt	
357		Tilt-fine	
358		Speed rotate	max - min
359		Dimmer	
360		Stroboscope	
361		Colour wheel	0-4:Open*14-22:Red*32-40:3000K*50-58:Green*68-76:Blue*86-94:Yellow:104-112:Turkish*122-130:Magenta*
362		Static gobo	
363		Rotatable gobo	
364		Rotate gobo	
365		Focus	
366		Zoom	
367		Prism	
368		Prism rotate	
369		Preprogramed shows	
370		Pan-tilt auto program	
371		Reset	
372			

373
374
375
376
377
378
379
380
381
382
383
384
385
386

Revideret d. 05-09-25

DMX univers 2

Kanal	Enhed	Formål	Model	Note
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20	Front 1	dimmer	FOS IQ 28x12	<u>19 kanaler</u>
21		shutter		
22		Pan		
23		Pan-fine		
24		Tilt		
25		Tilt-fine		
26		Speed pan/tilt		max - min
27		Red		
28		Green		
29		Blue		
30		Withe		

31	Focus	
32	Macro color	
33	Color Temp	
34	Macro run	
35	Macro speed	
36	Dynamic rotate	
37	Dynamis rotate speed	
38	Special funktions	
39	Front 2	FOS IQ 28x12 <u>19 kanaler</u>
40	shutter	
41	Pan	
42	Pan-fine	
43	Tilt	
44	Tilt-fine	
45	Speed pan/tilt	max - min
46	Red	
47	Green	
48	Blue	
49	Withe	
50	Focus	
51	Macro color	
52	Color Temp	
53	Macro run	
54	Macro speed	
55	Dynamic rotate	
56	Dynamis rotate speed	
57	Special funktions	
58	Front 3	FOS IQ 28x12 <u>19 kanaler</u>
59	shutter	
60	Pan	
61	Pan-fine	
62	Tilt	
63	Tilt-fine	

64	Speed pan/tilt	max - min
65	Red	
66	Green	
67	Blue	
68	Withe	
69	Focus	
70	Macro color	
71	Color Temp	
72	Macro run	
73	Macro speed	
74	Dynamic rotate	
75	Dynamis rotate speed	
76	Special funktions	
77	Front 4 dimmer	FOS IQ 28x12 <u>19 kanaler</u>
78	shutter	
79	Pan	
80	Pan-fine	
81	Tilt	
82	Tilt-fine	
83	Speed pan/tilt	max - min
84	Red	
85	Green	
86	Blue	
87	Withe	
88	Focus	
89	Macro color	
90	Color Temp	
91	Macro run	
92	Macro speed	
93	Dynamic rotate	
94	Dynamis rotate speed	
95	Special funktions	
96	Front 5 dimmer	FOS IQ 28x12 <u>19 kanaler</u>

97	shutter	
98	Pan	
99	Pan-fine	
100	Tilt	
101	Tilt-fine	
102	Speed pan/tilt	max - min
103	Red	
104	Green	
105	Blue	
106	Withe	
107	Focus	
108	Macro color	
109	Color Temp	
110	Macro run	
111	Macro speed	
112	Dynamic rotate	
113	Dynamis rotate speed	
114	Special funktions	
115	Front 6 dimmer	FOS IQ 28x12 <u>19 kanaler</u>
116	shutter	
117	Pan	
118	Pan-fine	
119	Tilt	
120	Tilt-fine	
121	Speed pan/tilt	max - min
122	Red	
123	Green	
124	Blue	
125	Withe	
126	Focus	
127	Macro color	
128	Color Temp	
129	Macro run	

130	Macro speed		
131	Dynamic rotate		
132	Dynamis rotate speed		
133	Special funktions		
134	Front 7	dimmer	FOS IQ 28x12 <u>19 kanaler</u>
135		shutter	
136		Pan	
137		Pan-fine	
138		Tilt	
139		Tilt-fine	
140		Speed pan/tilt	max - min
141		Red	
142		Green	
143		Blue	
144		Withe	
145		Focus	
146		Macro color	
147		Color Temp	
148		Macro run	
149		Macro speed	
150		Dynamic rotate	
151		Dynamis rotate speed	
152		Special funktions	
153	Front 8	dimmer	FOS IQ 28x12 <u>19 kanaler</u>
154		shutter	
155		Pan	
156		Pan-fine	
157		Tilt	
158		Tilt-fine	
159		Speed pan/tilt	max - min
160		Red	
161		Green	
162		Blue	

163	Withe
164	Focus
165	Macro color
166	Color Temp
167	Macro run
168	Macro speed
169	Dynamic rotate
170	Dynamis rotate speed
171	Special funktions

Revideret d. 05-09-25